INDEX

S. No	Date	Title	Page No.	Teacher's Sign

Dasarahally village and Rachenahally village surrounding area.

Name of work - Drilling of new Borewell providing pipe line at various ~~and pipe line~~ places in ward No. 06. Byatarayanapura Subdivision.

Estd cost Rs. 60.00 Lacs

Work Code - 006-20-000172

Work order No - BBMP/EE/BTP/WO/174
2020-21

Agency - Sri. Madhumi. H.N.
Thirumala Complex
Bagalour.

S.No.	ದಿನಾಂಕ	ಸ್ಥಳ ಮತ್ತು ಕೆಲಸದ ವಿವರ		No. of Load	AE	AEE	Remarks
①	13/01/2021	ಗಾಂಧಿನಗರ ಟ್ಯಾಂಕ್ ಬಳಿ		4			
		ಗಾಂಧಿನಗರ ಟ್ಯಾಂಕ್ ಕೇಬಲ್		2			
		[illegible]		2	✓	[signature]	
		[illegible] ಕೇಬಲ್		2			
②	14/01/2021	[illegible] ಬಳಿ		3			
		[illegible]		3	✓		
		[illegible]		2			
		[illegible] ಕೇಬಲ್		2			
③	15/01/2021	[illegible]		5			
		[illegible]		3	✓		
		[illegible]		2			
④	16/01/2021	[illegible]	[illegible]	6			
		[illegible]	[illegible]	2	✓	[signature]	
		[illegible] 20 A	[illegible]	2			
⑤	17/01/2021	[illegible]	[illegible]	3			
		[illegible]		3	✓		
		[illegible]	[illegible]	2			
		[illegible]	[illegible]	2			
⑥	18/01/2021	[illegible]		4			
		ಗಾಂಧಿನಗರ [illegible]	[illegible]	3	✓	[signature]	
		[illegible]		3			
				60			

S.No.	Date	[illegible]	[illegible]	No. of Loads	AE	ACE	Removing
7	19/01/2021	ಗಾರ್ಡನ್ ಹತ್ತಿರ [illegible] ಗಾರ್ಡನ್ ಹತ್ತಿರ [illegible] [illegible] ರಸ್ತೆ [illegible] ಹತ್ತಿರ [illegible]		3 2 2 3	ಲ		
8	20/01/2021	[illegible] ಹತ್ತಿರ [illegible] [illegible] ಬಡಾವಣೆ [illegible] ಬಡಾವಣೆ [illegible] ರಸ್ತೆ [illegible]		3 3 2 2	ಲ	[signature]	
9	21/01/2021	[illegible] ಬಡಾವಣೆ [illegible] ರಸ್ತೆ [illegible] ಹತ್ತಿರ [illegible]		5 3 2	ಲ		
10	22/01/2021	[illegible] ನಗರ [illegible] [illegible], [illegible] [illegible] ಹತ್ತಿರ [illegible] ಪಕ್ಕದಲ್ಲಿ [illegible] ನಗರ "20" "A" Cross		5 3 2	ಲ		
11	23/01/2021	[illegible] ಪಕ್ಕದಲ್ಲಿ [illegible] ಬಡಾವಣೆ [illegible] [illegible] ಬಡಾವಣೆ [illegible]		2 4 2 2	ಲ	[signature]	
12	24/01/2021	[illegible] ಬಡಾವಣೆ ಗಾರ್ಡನ್ ಹತ್ತಿರ [illegible] [illegible] ಬಡಾವಣೆ.		4 3 3 /60	ಲ	[signature]	

Scanned with CamScan

S.No.	Date	[illegible]	[illegible]	No. of Loads	AE	AEE Remarks
(13)	25/01/2021	[illegible]		3		
		[illegible]		3	[signature]	[signature]
		[illegible]		2		
		[illegible]		2		
(14)	26/01/2021	[illegible]		4		
		[illegible]		2	[signature]	
		[illegible]		2		
		[illegible]		2		
(15)	27/01/2021	[illegible]		4		
		[illegible]		3	[signature]	[signature]
		[illegible]		3		
(16)	28/01/2021	[illegible]				
		[illegible]		5		
		[illegible]		3	[signature]	
		[illegible] 20 "A" Cross		2		
(17)	29/01/2021	[illegible]	[illegible]	3		
		[illegible]		4	[signature]	
		[illegible]		2		
		[illegible]		1		
(18)	30/01/2021	[illegible]		4		
		[illegible]		3	[signature]	[signature]
		[illegible]		3		
				60		

Scanned with CamScanner

S.No.	Date	[illegible]	[illegible]	No. of Loads	AE	AEE	Remarks
(19)	31/01/2021	[illegible]		4			
		[illegible]		2			
		[illegible]		2			
		[illegible]		2			
				10			
			Total	190 Loads			

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

Assistant Executive Engineer
Byatarayanapura Sub Division
B.B.M.P Bangalore-560 024

S.No.	Date	[illegible]	No. of Loads	AE	AEE	Remarks
①	1/02/2021	[illegible]	4			
		[illegible]	2	[illegible]	[illegible]	
		[illegible]	4			
②	2/02/2021	[illegible]	2			
		[illegible]	2	[illegible]		
		[illegible]	2			
		[illegible]	4			
③	3/02/2021	[illegible] 20th [illegible]	2			
		[illegible]	2	[illegible]		
		[illegible]	3			
		[illegible]	3			
④	4/02/2021	[illegible]	3			
		[illegible]	3	[illegible]	[illegible]	
		[illegible]	2			
		[illegible]	2			
⑤	5/02/2021	[illegible]	4			
		[illegible]	2	[illegible]		
		[illegible]	2			
⑥	6/02/2021	[illegible]	2			
		[illegible]	3			
		[illegible]	3	[illegible]	[illegible]	
		[illegible]	4			
			60			

Scanned with CamScanner

S.No.	Date	[illegible]	No. of Loads	AE	AEE	Remarks
7	7/02/2021	[illegible]	2	[signature]	[signature]	
		[illegible]	2			
		[illegible]	3			
		[illegible]	3			
8	8/02/2021	[illegible]	3			
		[illegible]	3	[signature]		
		[illegible]	4			
9	9/02/2021	[illegible]	3			
		[illegible]	4	[signature]	[signature]	
		[illegible]	2			
		[illegible]	1			
10	10/02/2021	[illegible]	4	[signature]		
		[illegible]	4			
		[illegible]	2			
11	11/02/2021	[illegible]	3		[signature]	
		[illegible]	4	[signature]		
		[illegible]	3			
12	12/02/2021	[illegible]	4			
		[illegible]	3	[signature]		
		[illegible]	3			
			60			

S.No.	Date	[illegible]	[illegible]	No. of Loads	AE	AEE	Remarks
(13)	13/02/2021	[illegible]		3			
		[illegible]		3	[illegible]		
		[illegible]		4			
(14)	14/02/2021	[illegible]		2			
		[illegible]	[illegible]	2	[illegible]	[illegible]	
		[illegible]		3			
		[illegible] 3 [illegible]	[illegible]	3			
(15)	15/02/2021	[illegible]		3			
		[illegible]		2	[illegible]		
		[illegible]		3			
		[illegible]		2			
(16)	16/02/2021	[illegible]	[illegible]	3			
		[illegible]	[illegible]	4	[illegible]	[illegible]	
		[illegible] 20m	[illegible]	3			
(17)	17/02/2021	[illegible]		3			
		[illegible] 4.5.6	[illegible]	4	[illegible]		
		[illegible]	[illegible]	3			
(18)	18/02/2021	[illegible]		3			
		[illegible]		4	[illegible]	[illegible]	
		[illegible]		3			
				60			

ಕ್ರ.ಸಂ.	Date	[illegible]	[illegible]	No of Loads	AE	AEE	Remarks
19	19/02/2021	[illegible] ಬಡಾವಣೆ [illegible] ನಗರ ಸರ್ಕಾರಿ ಆಸ್ಪತ್ರೆ		3 4 3	[signature]	[signature]	
20	20/02/2021	[illegible] ಬಡಾವಣೆ [illegible] ಸರ್ಕಾರಿ ರೋಡ್.		3 3 4	[signature]		
21	21/02/2021	ಸರ್ಕಾರಿ ಶಾಲೆ [illegible] ಆಸ್ಪತ್ರೆ [illegible] ರೋಡ್		2 4 4	[signature]	[signature]	
22	22/02/2021	[illegible] ಬಡಾವಣೆ [illegible] ಬಡಾವಣೆ [illegible] ಬಡಾವಣೆ		4 4 2	[signature]		
23	23/02/2021	ಸರ್ಕಾರಿ ರೋಡ್ [illegible] ಬಡಾವಣೆ 1, 2, ಮತ್ತು 3 [illegible] ಸರ್ಕಾರಿ [illegible]		4 3 3	[signature]		
24	24/02/2021	[illegible] ಆಸ್ಪತ್ರೆ [illegible] 1ನೇ [illegible] [illegible] 4ನೇ [illegible]		3 4 3	[signature]	[signature]	

60

S.no..	Date	[illegible]	No. of Loads	AE	AEE	[illegible]
25	25/02/2021	[illegible]	3	[signature]	[signature]	
		[illegible]	4			
		[illegible]	4			
26	26/02/2021	[illegible]	4	[signature]		
		[illegible]	3			
		[illegible]	3			
27	27/02/2021	[illegible]	4	[signature]	[signature]	
		[illegible] 1.2 [illegible] 3 [illegible]	4			
		[illegible]	2			
28	28/02/2021	[illegible] 2.3 [illegible] 4 [illegible]	4	[signature]		
		[illegible]	3			
		[illegible]	3			
29						
30						

Total 280 Loads (corrected: 281)

Assistant Executive Engineer
Byatarayanapura Sub Division
B.B.M.P. Bangalore-560024

S.No.	Date	[illegible]	[illegible]	No. of loads	AE	AEE	Remarks
1	1/03/2021	[illegible]		3			
		[illegible]		4	[signature]	[signature]	
		[illegible]		3			
2	2/03/2021	[illegible]	[illegible]	3			
		[illegible] 4.5.[illegible]	[illegible]	3	[signature]		
		[illegible]		4			
3	3/03/2021	[illegible] 1.2.[illegible]	[illegible]	4		[signature]	
		[illegible]		3	[signature]		
		[illegible] 6 [illegible]	[illegible]	3			
4	4/03/2021	[illegible]		4			
		[illegible]		4	[signature]		
		[illegible]		2			
5	5/03/2021	[illegible] 1.2.3 [illegible]	[illegible]	3			
		[illegible]		4	[signature]	[signature]	
		[illegible]		2			
6	6/03/2021	[illegible]		1			
		[illegible]		4			
		[illegible]		3			
		[illegible]		1	[signature]		
		[illegible]		2			
				60			

S.No.	Date	[illegible]	[illegible]	No. of Loads	AE	AEE	Remarks
7	7/03/2021	[illegible]		3			
		[illegible]		2	[illegible]	[signature]	
		[illegible]		2			
		[illegible]		3			
8	8/03/2021	[illegible]		4	[illegible]		
		[illegible]		3			
		[illegible]		2			
		[illegible]		1			
9	9/03/2021	[illegible]		4	[illegible]	[signature]	
		[illegible]		3			
		[illegible]		3			
10	10/03/2021	[illegible]		3			
		[illegible]		4	[illegible]		
		[illegible]		3			
11	11/03/2021	[illegible]		2			
		[illegible]		4	[illegible]	[signature]	
		[illegible]		2			
		[illegible] 1 [illegible] 2 [illegible]		3			
12	12/03/2021	[illegible]		4			
		[illegible]		4	[illegible]		
		[illegible]		2			
				61			

Adora PAGE NO. DATE / /

Adora PAGE NO. DATE / /

S.no.	Date	ദിവസം ചെയ്ത ജോലി	No. 8 Logs		
13	13/03/2021	തെങ്ങിന് വെള്ളമൊഴിച്ചു	3		
		ജാതിക്ക് വളമിട്ടു	3	✓	
		കോവലിന് വളമിട്ടു	4		
14	14/03/2021	തൈകൾക്ക് നനച്ചു ഗ്രോ ബാഗിൽ	2		
		ചീരക്ക് വളമിട്ടു 3,4 ൽ 5 വിത്ത്	4	✓	ഒപ്പ്
		തെങ്ങിന് വെള്ളമൊഴിച്ചു	4		
15	15/03/2021	മഞ്ഞൾകൃഷിക്ക് 3,4 ൽ 5 വിത്ത്	4		
		മുളക്കൃഷിക്ക് വെള്ളം ഒഴിച്ചു	2	✓	
		മഞ്ഞൾകൃഷിക്ക് 1,2 ൽ 6 വിത്ത്	4		
16	16/03/2021	പാവലിന് താങ്ങ്	4		
		ചീരക്ക് വളമിട്ടു	3	✓	ഒപ്പ്
		കോവലിന് വളമിട്ടു	3		
17	17/03/2021	ഗ്രോബാഗ് 1,2,3 ൽ 4 വിത്ത്	4		
		തെങ്ങിന് കള	3	✓	
		തെങ്ങിന് തടം	1		
		തെങ്ങിന് തടം	2		
18	18/03/2021	പച്ചക്കറി നനച്ചു	3		
		തെങ്ങിന് വെള്ളമൊഴിച്ചു	4	✓	ഒപ്പ്
		കോവലിന് വളമിട്ടു	3		

60

S.no.	Date	[illegible]	[illegible]	No of Loads	AE	AEE	Remarks
19	19/03/2021	[illegible]		4			
		[illegible] 24. [illegible]	[illegible]	3	[illegible]	[illegible]	
		[illegible]		3			
20	20/03/2021	[illegible]		2			
		[illegible]		3	[illegible]		
		[illegible]		5			
21	21/03/2021	[illegible]		3			
		[illegible] 1, 2, 3 [illegible]	[illegible]	4	[illegible]	[illegible]	
		[illegible] 204	[illegible]	4			
22	22/03/2021	[illegible]		4			
		[illegible]		4	[illegible]	[illegible]	
		[illegible]		2			
23	23/03/2021	[illegible]		3			
		[illegible]		3	[illegible]		
		[illegible]		4			
24	24/03/2021	[illegible]		2			
		[illegible]		4		[illegible]	
		[illegible]		2	[illegible]		
		[illegible]		2			

(61)

Scanned with CamScanner

S. No.	Date	[illegible]	No. of Loads	AE	AEE	Remarks
25	25/03/2021	[illegible]	3			
		[illegible]	4			
		[illegible]	3			
26	26/03/2021	[illegible]	3			
		[illegible] 3.4.6 [illegible]	4			
		[illegible]	3			
27	27/03/2021	[illegible] 4.5.1 [illegible]	3			
		[illegible]	3			
		[illegible] 1.2 & 3 [illegible]	4			
28	28/03/2021	[illegible]	4			
		[illegible]	3			
		[illegible]	3			
29	29/03/2021	[illegible] 2.3. [illegible]	3			
		[illegible]	3			
		[illegible]	2			
		[illegible]	2			
30	30/03/2021	[illegible]	4			
		[illegible]	3			
		[illegible]	2			
		[illegible]	1			

60

Scanned with CamScanner

S. No.	Date	[illegible]	[illegible]	No. of Loads	AE	AEE	[illegible]
31	31/03/2021	[illegible]		4	[illegible]	[signature]	
		[illegible]		3			
		[illegible]		3			
			Total	310 Loads			

ಸಹಾಯಕ ಅಭಿಯಂತರರು
Assistant Executive Engineer
Byatarayanapura Sub Division
B.B.M.P Bangalore-560024

S. No.	Date	[illegible]	No. of Loads	AE	AEE	Remarks
①	1/04/2021	[illegible]	4	✓		
		[illegible]	3			
		[illegible]	3			
②	2/04/2021	[illegible]	3	✓	[signature]	
		[illegible] 3.4 [illegible]	4			
		[illegible]	3			
③	3/04/2021	[illegible] 3.4 [illegible]	4	✓		
		[illegible]	3			
		[illegible] 1.2 [illegible]	3			
④	4/04/2021	[illegible]	3	✓		
		[illegible]	4			
		[illegible]	3			
⑤	5/04/2021	[illegible] 1.2.3 [illegible] 4 [illegible]	4	✓	[signature]	
		[illegible]	2			
		[illegible]	2			
		[illegible]	2			
⑥	6/04/2021	[illegible]	4	✓	[signature]	
		[illegible]	2			
		[illegible].	4			
			60			

S.No.	Date	[illegible]	[illegible]	No of Loads	AE	AEE	Remarks
7	7/04/2021	[illegible]		3			
		[illegible]		4	[signature]		
		[illegible]		3			
8	8/04/2021	[illegible]		4			
		[illegible]		3	[signature]	[signature]	
		[illegible]		3			
9	9/04/2021	[illegible]		3			1) Jan-2021-170
		[illegible]		3	[signature]		2) Feb-2021-280 3) Mar-2021-310
		[illegible]		4			4) April-2021-11..
							878
10	10/04/2021	[illegible]		4			
		[illegible]		3	[signature]		
		[illegible]		3			
11	11/04/2021	[illegible]		4			
		[illegible] 1.2.[illegible] 3 [illegible]		3	[signature]	[signature]	
		[illegible]		3			
12	12/04/2021	[illegible] 1.2.[illegible] 3 [illegible]		3			
		[illegible] 4.5. [illegible]		4	[signature]		
		[illegible]		1	18		
			Total	118 Loads			

Assistant Executive Engineer
Byatarayanapura Sub Division
B.B.M.P Bangalore-560024

[signature]
[illegible] (Kannada office stamp)